

66/50/80



JCS53 U.S. PTO

PATENT APPLICATION TRANSMITTAL LETTER

A

TO THE COMMISSIONER OF PATENTS AND TRADEMARKS:

Transmitted herewith for filing is the patent application of: **Barry W. Cummins** entitled **"Improved Acidic Composition of Matter For Use to Destroy Microorganisms"** including specification, abstract, and claims totalling **11** pages.

JCS53 U.S. PTO
09/369096
08/05/99

Enclosed are:

- ☐ sheet(s) of ☐ formal, ☐ informal drawing(s).
☒ **Un-signed** Verified Statement claiming small entity status under 37 CFR 1.9 & 1.27.
☒ **Un-signed** Declaration by the Inventors.
☐ Preliminary Amendment
☐ Associate Power of Attorney
☒ **CLAIMS AS FILED SMALL ENTITY**

Basic Filing Fee		\$380.00
Total Claims 5 - 20 = 0 excess	x \$11.00 =	\$0
Indep Claims 2 - 3 = 0 exces	x \$39.00 =	\$0
Multiple Dependent Claims 0	x \$125.00 =	\$0
=====		
TOTAL		\$380.00

☐ **CLAIMS AS FILED OTHER THAN A SMALL ENTITY**

Basic Filing Fee		\$750.00
Total Claims - 20 = excess	x \$22.00 =	\$
Indep Claims - 3 = excess	x \$78.00 =	\$
Multiple Dependent Claims	x \$250.00 =	\$
=====		
TOTAL		\$

- ☒ A duplicate copy of this sheet is enclosed.
☒ Certificate of Express Mail.
☒ A check in the amount of \$380.00 to cover the filing fee is enclosed.
☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. 13-1130 as described below. I have enclosed a duplicate copy of this sheet.

- ☐ Charge the amount of \$ as filing fee.
☒ Credit any overpayment.
☐ Charge any additional filing fees required under 37 CFR 1.16 and 1.17.
☐ Charge the issue fee set in 37 CFR 1.18 at the mailing of the Notice of Allowance, pursuant to 37 CFR 1.311(b).

DATE

8/5/99

Barry L. Haley, Reg. No. 25,339

Malin, Haley, DiMaggio & Crosby, P.A.
 One East Broward Boulevard, Suite 1609
 Fort Lauderdale, Florida 33301
 (954) 763-3303

Attorney Docket No. 9240.3802

Applicant or Patentee: Barry W. Cummins

Serial No. or Patent No.: To Be Assigned

Filed or Issued: Herewith

For: Improved Acidic Composition of Matter for Use to Destroy Microorganisms

Attorney's

Docket: 9240.3802

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(c) and 1.27(b)) - INDEPENDENT INVENTOR

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under §41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled Improved Acidic Composition of Matter for Use to Destroy Microorganisms described in

- ☒ the specification filed herewith
☐ application serial no. , filed
☐ patent no. , issued

I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☒ no such person, concern, or organization
☐ persons, concerns, or organizations listed below*

NOTE: Separate Verified Statements are required from each named person, concern, or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

FULL NAME: _

ADDRESS: _

☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under §1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Barry W. Cummins

Signature

Date:

IMPROVED ACIDIC COMPOSITION OF MATTER
FOR USE TO DESTROY MICROORGANISMS

BACKGROUND OF THE INVENTION

1. Field of the Invention

This invention relates to a composition of matter and the method of making improved acidic compositions that are useful for the treatment of killing bacteria or other potentially toxic cells, including disease cells, and specifically to an improved composition of matter and the method of making that can be used as a bactericide, fungicide, viricides, and for the treatment of skin diseases.

2. Description of the Prior Art

The use of acids and acidic chemicals for killing deleterious organic organisms, such as bacteria, germs, and viruses is well known in the art. Chlorine or hydrochloric acid is especially useful as a bactericide and is used universally as a cleaning agent.

Bacteria plays an important role in the deterioration of human foodstuffs. Foods such as fish are particularly susceptible to rapid deterioration, especially at room temperature, and compounds for the preservation of foods or the retardation of bacteria growth have been employed in the past. One of the problems with such compounds is that in certain increased levels, they can be toxic to human beings, thereby defeating the purpose of preserving the foodstuffs.

Because of the extremely acidic nature of some of the bactericides and viricides that have been utilized in the past, oftentimes they can cause skin irritation or other side effects for human beings coming in contact with these compositions, or can even be fatal if accidentally consumed. Chlorine has had other

negative implications in terms of the environment, and has not been environmentally friendly because of the release of chlorine gas into the environment.

The present invention provides for a composition of matter and the method of making it that produces a composition that operates in a very low pH range to provide toxicity to bacteria, virus, and certain malignant cells that attack human skin dermatologically, while at the same time proving to be non-toxic to human beings and not harmful to healthy human cells.

The use of the invention has been found to be helpful as a bactericide for preserving fresh food items, such as fish, for long periods of time without toxically endangering the food product, and has also been found useful as a dermatological composition to reduce or eliminate melanoma of the skin as a skin care product.

SUMMARY OF THE INVENTION

A composition of matter formed by the following described method has been found to be an effective bactericide, fungicide, viricide, and low pH acid that is non-toxic to healthy human cells.

The first basic ingredient used is sulfuric acid, preferably of around 98 percent purity. The sulfuric acid is placed in a container at a predetermined quantity. The next step is to place distilled water in a separate container and heat said water to 140°F, at which time 2.77 lbs. per gallon of 21 percent active ammonium sulfate is added to the water using a 316L stainless tube to inject air to dissolve the ammonium sulfate in the H₂O.

The mixture of sulfuric acid, distilled water, and ammonium sulfate are themselves injected simultaneously at the predetermined ratio into a pressure vessel, preferably made of stainless steel, the volume of which is significantly larger than the total amount of composition to be obtained. The overall

5 mixture is sprayed by nozzles into the pressure vessel, which is maintained at 15 psi above atmospheric pressure. At approximately the 1 ft. of liquid level, a plurality of electrodes are disposed to contact the liquid as it fills the pressure vessel, with a predetermined amount of DC current (amperage) provided. The positive and negative electrodes are spaced approximately 3 ft. apart. A DC voltage and current of at least one amp is provided. High pressure air is also forced into the liquid from radially disposed radial pipes to cause the overall mixture to rotate
10 vigorously within the pressure vessel.

15 The pressure vessel will also include a cooling jacket. The temperature of the mixture is heated not to exceed 1200°F and kept at this temperature for 3 to 4 hours. The pressure vessel permits for release of gas, which is believed to be hydrogen gas, coming off the mixture.

20 The mixture is then cooled down to room temperature, at which time a stabilizer, which is 10 percent of the total weight of the original mixture, is introduced into the cool-down mixture. The overall composition of the matter is then ready for use, either as a fresh food preservative, or can be implemented with various skin creams that are carriers for use in dermatology for reducing or eliminating melanoma on human skin.

25 For use as a food preservative, the composition of the matter is coated over items such as fresh fish, with the composition acting as a bacteria retardant.

The pressure vessel may be made of stainless steel, as are the electrodes used therein.

30 In an alternate embodiment, the ammonium sulfate mixture may be replaced by a 46 percent urea substitute, with the methodology being the same as for the ammonium sulfate composition.

The composition arrived at may be diluted down further, depending on the particular use, with additional distilled water, much like a typical acid. Applicant has found that although the

pH is low (below 2), the composition is not deleterious or toxic to health human cells, and does not cause irritation to humans when coming in contact with the material.

It is an object of this invention to provide an improved composition of matter that has desirable acidic (low pH) characteristics that are not harmful or deleterious to organic human cells to destroy microorganisms or in the treatment of skin diseases.

It is another object of this invention to provide an improved composition of matter and the method of making it to create a widely usable composition for bactericide, fungicide, and complete elimination and destruction of microorganisms that are toxic to human health.

But yet still another object of this invention is to create a composition of matter that has numerous applications in areas of bactericide, viricide, food preservation, and dermatological treatment of human skin cells to eliminate or reduce diseases of the skin.

In accordance with these and other objects which will become apparent hereinafter, the instant invention will now be described with particular reference to the accompanying drawings.

DESCRIPTION OF THE PREFERRED EMBODIMENT

The composition of matter forms a highly effective composition to kill or retard the growth of microorganisms, especially such as bacteria, viruses, and other microorganisms.

The first basic ingredient used is sulfuric acid, preferably of around 98 percent purity. The sulfuric acid is placed in a container at a predetermined quantity. The next step is to place distilled water in a separate container and heat said water to 140°F, at which time 2.77 lbs. per gallon of 21 percent active ammonium sulfate is added to the water using a 316L stainless tube to inject air to dissolve the ammonium sulfate in the H₂O.

The resultant ammonium sulfate, water, and sulfuric acid mixtures themselves are injected simultaneously at the same ratio into a large, stainless steel pressure vessel that is maintained at a pressure of at least 15 psi above atmospheric pressure. The mixture is forced into the pressure vessel, which itself has positive and negative electrodes for passing a DC current through the mixture as it is filled into the pressure vessel. At least one amp of DC current is maintained approximately 1 ft. above the base of the pressure vessel.

Spargers include spray head nozzle-like sprayers used to force the mixture in a sprayed-in form into the pressure vessel.

The temperature of the mixture is raised to approximately 1200°F, and is maintained for 3 to 4 hours. A cooling jacket is required to keep the temperature below 1200°F. During this process, excess gas is removed, which is believed to be hydrogen gas. A separate gas distributor is mounted within the liquid in the form of perpendicular sprayers that take air and inject it into the mixture during the heating process, which causes rotation of the fluid, creating a dynamic action in which the fluid is rotating about in the pressure vessel. After approximately 4 hours, the mixture is allowed to cool down to room temperature. At the end of the cool down period, another 10 percent of the total weight of the original mixture is added to the cooled down mixture to act as a stabilizer.

The resultant mixture has been found very suitable for direct use as a food preservative for preserving food such as fish for long periods of time, up to two weeks at room temperature, and when used dermatologically as a cream base has been found to reduce or eliminate skin cancers such as melanoma.

The exact chemical formula for the resultant composition is not clearly known.

Applicant has also found that urea can be added to form the mixture in place of the ammonium sulfate with equally effective results.

EXAMPLE 1

5 The first basic ingredient used is sulfuric acid, preferably of around 98 percent purity. The sulfuric acid is placed in a container at a predetermined quantity. The next step is to place distilled water in a separate container and heat said water to 140°F, at which time 2.77 lbs. per gallon of 21 percent active
10 ammonium sulfate is added to the water using a 316L stainless tube to inject air to dissolve the ammonium sulfate in the H₂O.

Simultaneously, the H₂SO₄, and the H₂O, and the ammonium sulfate (NH₄)₂SO₄ are injected into a large 400 gallon, stainless steel vessel that is maintained at 15 psi above atmospheric
15 pressure through a plurality of sprayers (spargers).

Air under pressure is also introduced through sprayers in the bottom of the container, perpendicular to the liquid mixture, which forces the liquid mixture to dynamically rotate within the pressure vessel.

20 Two electrodes, a cathode and anode, provide a DC voltage 1 ft. above the bottom of the contained at approximately 1 to 3 amps, with the electrodes being 3 ft. apart.

The mixture is heated to 1200°F and maintained at that temperature for 3 to 4 hours, during which time excess hydrogen
25 gas is removed.

After 4 hours, the mixture is allowed to return and cool down to room temperature. After cool down, an additional 10 percent of the same mixture is reintroduced into the original cool down mixture to act as a stabilizer. Other stabilizers can be
30 substituted. The resultant composition can be used as is or diluted with distilled water as a fish preservative and as applied to the skin of the fish. This would be fish at room temperature that can be preserved for weeks without refrigeration.

The composition can also be added with effective dermatological creams, and without dilution to retard or destroy melanoma cancer cells on human skin.

EXAMPLE 2

5 The composition as shown in Example 1 can be altered by the substitution of urea for the ammonium sulfate in the amount of 46 percent active urea. The remainder of the methodology will be the same.

10 It is believed that numerous applications as a bactericide, a fungicide, a viricide or other active acidic cleaning agent can be used for the compound at extremely low pHs (below 2), while at the same time the composition is not an irritant or deleterious to healthy human cells.

The following is an alternate embodiment of the invention.

15 The mixture shall consist of sulfuric acid, water, and ammonium sulfate, or substitute 46 percent urea for the 21 percent ammonium sulfate.

20 One pound of 21 percent ammonium sulfate for gallon of water up to five pounds of 21 percent ammonium sulfate per gallon of water (Distilled) with the ratio of water and ammonium sulfate to the sulfuric acid being from a 1 to 1 mixture up to a 5 to 1 mixture with the higher number being the water and ammonium sulfate mixture. Mixture ratios are by weight.

25 Temperature ranges are from 400° F to 2400°F and pressures range from 5 PSI to 800 PSI and DC voltage ranges are from 1 amp to 100 amps.

30 There are 4 things that effect the rate of reaction of the invention: temperature, pressure, amperage and amount of product being used. These four variables then determine how long the process takes.

EXAMPLE 3

Sulfuric acid, preferably around 98% purity, is placed in container in a predetermined quantity.

The next step is to place distilled water in a separate container and heat the water to approximately 140°F at which time 2.77 pounds per gallon of 21 percent active ammonium sulfate is added to the water using a 316L stainless tube to inject air to dissolve the ammonium sulfate in the water.

Simultaneously, H_2SO_4 and H_2O and the aluminum sulfate $(NH_4)_2SO_4$ are injected into the large 400 gallon stainless steel vessel that is maintained at 15 psi above atmospheric pressure through a plurality of sprayers (sponges).

Air under pressure is also introduced through sprayers in the bottom of the container, perpendicular to the liquid mixture, which forces the liquid mixture to dynamically rotate within the pressure vessel.

Two electrodes, a cathode and an anode provide a DC voltage one foot above the bottom of the container at approximately 3 amps with the electrodes being three feet apart.

The mixture is heated to 800°F and maintained at that temperature for three to four hours during which time excess hydrogen gas is removed.

After four hours, the mixture is allowed to return and cool down to room temperature. After cool down, an additional 10% of the same mixture is reintroduced into the original cool down mixture to act as a stabilizer. The result in composition can be used as is or diluted with distilled water as a fish preservative and as applied to the skin of the fish.

The instant invention has been shown and described herein in what is considered to be the most practical and preferred embodiment. It is recognized, however, that departures may be made therefrom within the scope of the invention and that obvious modifications will occur to a person skilled in the art.

CLAIMS

What I Claim Is:

1. A composition of matter useful for the treatment of killing microorganisms and human skin diseases, consisting of:

5 sulfuric acid of 98 percent purity combined in a 1 to 2 volume ratio with distilled water and ammonium sulfate in a ratio of 2.77 lbs. per gallon of H₂O;

 combining the mixture under 15 psi pressure in a pressurized vessel above atmospheric pressure and heating the
10 mixture to at least 800°F for at least 3 hours;

 after the mixture is cooled, adding a stabilizer including at least 10 percent of the original mixture.

2. The composition of claim 1, wherein urea is substituted for ammonium sulfate.

15 3. The composition of claim 1, wherein once the mixture is heated, the mixture is stirred vigorously by air under pressure in said pressurized vessel.

 4. The composition of claim 1, wherein the mixture is introduced under pressure into the pressurized vessel by spraying
20 into the vessel.

5. The method of preparing a composition of matter that is useful for the treatment of killing microorganisms and human skin diseases, comprising the steps of:

 (a) preparing a sulfuric acid of 98 percent purity in
25 a first container;

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION
(English Language Declaration)

File No. 9240.3802

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled **Improved Acidic Composition Of Matter For Use to Destroy Microorganisms**, the specification of which (check one):

☒ [X] is attached hereto

☐ [] was filed on _ as Serial No. _ and was amended on _ (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations (§1.56(a)).

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

<u>Prior Foreign Application(s)</u>		<u>Day/Month/Year</u>	<u>Priority Claimed</u>	
<u>Number</u>	<u>Country</u>		<u>Yes</u>	<u>No</u>
			<input type="checkbox"/> []	<input type="checkbox"/> []
			<input type="checkbox"/> []	<input type="checkbox"/> []
			<input type="checkbox"/> []	<input type="checkbox"/> []

I hereby claim the benefit under Title 35, United States Code 120, of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations 1.56(a), which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

<u>Serial No.</u>	<u>Filing Date</u>	<u>Status</u>
08/611,764	March 8, 1996	Pending

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith along with any and all foreign applications filed and foreign patents issued therefrom.

Barry L. Haley, Registration No. 25,339
Dale Paul DiMaggio, Registration No. 31,823
Kevin P. Crosby, Registration No. 32,123
Daniel S. Polley, Registration No. 34,902
Loren D. Pearson, Registration No. 42,987
Jeffrey H. Kamenetsky, Registration No. 44,179

Send all correspondence to:

Barry L. Haley, Esq.
Malin, Haley, DiMaggio & Crosby, P.A.
One East Broward Boulevard
Suite 1609
Fort Lauderdale, Florida 33301

Direct telephone calls to:

Barry L. Haley, Esq.
(954) 763-3303

Barry W. Cummins

Full Name of Sole or First Inventor

U.S.A.

Citizenship

Inventor's Signature

Date

Fort Pierce, Florida

Residence

1203 Egret Avenue, Fort Pierce, Florida 34982

Post Office Address

Full Name of Second Joint Inventor, if any

Citizenship

Second Inventor's Signature

Date

Residence

Post Office Address

Full Name of Third Joint Inventor, if any

Citizenship

Third Inventor's Signature

Date

Residence

Post Office Address